


Thank you for purchasing the tailgate ladder from Out-Rack.

This product was designed to allow easy access to the Discovery 3 and 4 roof rack, in addition, the perfectly flat surface of the last step (in red fig. A) is compatible with rack table slider from the Out-Rack line, installed below the loading surface of the rack




Contenuto della confezione:

- Nr. 1 Ladder - A
- Nr. 2 M6 rivnuts - B
- Nr. 2 M6x16 bolts C
- Nr. 2 washers - D

Strumenti necessari:

- Plastic lever
- Torx wrench T30
- Socket wrench 10mm
- Rivnut installation tool



Unscrew the 4 bolts with a Torx T30 wrench indicated by the red arrows



To unscrew the first bolt on the left, it is necessary to lift the rubber gasket covering it



Rear ladder for Discovery 3/4 LR3/LR4 - Assembly instructions

Using a lever, remove the inner plastic cover of the upper tailgate so you can access the inner nuts; it is not necessary to remove entire trim



Remove the 3 nuts indicated by the green arrow using a 10 mm socket wrench (or joint wrench)



Unplug license plate light connector and the rear camera connector (if any) as shown in the pictures



Tailgate handle can now be removed



Rear ladder for Discovery 3/4 LR3/LR4 - Assembly instructions

Clean the area where the handle was removed with a non-aggressive paint cleaner




Rear ladder for Discovery 3/4 LR3/LR4 - Assembly instructions

Mark the holes indicated by the yellow arrows. Here the rivnuts will be inserted




Rear ladder for Discovery 3/4 LR3/LR4 - Assembly instructions

Enlarge the holes with a 10 mm drill bit



Insert and secure the rivnuts with the appropriate tool




Rear ladder for Discovery 3/4 LR3/LR4 - Assembly instructions

Clean the top of the tailgate where the ladder will rest and remove the tape from the double-sided tape as shown



Rear ladder for Discovery 3/4 LR3/LR4 - Assembly instructions

Hook the ladder to the top of the tailgate as shown in the pictures



Rear ladder for Discovery 3/4 LR3/LR4 - Assembly instructions

Insert the 2 M6x16 screws where the rivnuts are and tighten with a 10 mm socket wrench



Rear ladder for Discovery 3/4 LR3/LR4 - Assembly instructions

Remove the two clips as shown in the pictures
Ladder installation in nuwo completed. To reassemble the tailgate handle, follow reverse procedure



Congratulations! Your Out-Rack ladder is ready to follow you on every adventure!



Out-Rack has a range of accessories to install on your roof rack such as: CB Antenna Mount, Led Bar, Fixed and Swivel Worklights, and more.

For more information: info@out-rack.com